

# **BLANK PAGE**



# Indian Standard CODE OF SAFETY FOR TETRACHLOROETHANE

UDC 661.723.64: 614.878

#### © Copyright 1988

# BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

### AMENDMENT NO. 1 DECEMBER 2006 TO IS 12143: 1987 CODE OF SAFETY FOR TETRACHLOROETHANE

(*Page* 4, *clause* **3.3.1**) — Insert the following at the end:

'Tetrachloroethane reacts chemically with fuming sulfuric acid and strong caustics. It attacks most plastics and rubber.'

(CHD 8)

Reprography Unit, BIS, New Delhi, India

# Indian Standard **CODE OF SAFETY FOR TETRACHLOROETHANE**

#### Chemical Hazards Sectional Committee, CDC 18

Chairman

Representing

DR V. P. GUPTA

Directorate General Factory Advice Service and Labour Institute, Bombay

**Members** 

SHRI S. K. DANGWAL ( *Alternate* to DR V. P. Gupta )

DR B. S. ATTRI SHRI R B. DESAI Department of Environment, New Delhi

Indian Chemical Manufacturers Association,

Calcutta

SHRI A. N. VAKIL ( *Alternate* )

SHRI D. K. DE SARKAR

Directorate General of Ordnance Factories

( Ministry of Defence ), Calcutta

DR K. G. KAIMAL ( Alternate )

SHRI K. C. GUPTA SHRI K. C. SAKSENA ( Alternate

DR H. MUKHERJEE

National Safety Council, Bombay

Department of Explosives (Ministry of Industrial Development ), Nagpur

SHRI A. S. GHOSHAL ( *Alternate* )

DR DEOKI NANDAN

Bhabha Atomic Research Centre, Bombay

SHRI O. P. NANGIA

Hindustan Organic Chemicals Ltd, Rasayani

SHRI A. G. SHESHAN ( Alternate )

SHRI R. S. NIGAM

Índian Petrochemicals Corporation Ltd, Vadodara

DR S. K. MEHTA ( Alternate )

DR L. N. PANDAY

Ministry of Defence (R&D)

DR P. S. VENKATARAMANI ( Alternate )

DR D. J. PARIKH

National Institute of Occupational Health, Ahmadabad

SHRI A. N. RAO

Directorate General of Technical Development,

New Delhi

DR K. V. RAMALINGAM

Century Rayon, Kalyan

SHRI J. J. ADHIA ( *Alternate* )

(Continued on page 2)

#### © Copyright 1988

#### **BUREAU OF INDIAN STANDARDS**

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

Members

Representing

DR S. B. RAY

Ministry of Defence (DGI)

SHRI D. P. BASU ( *Alternate* ) DR M. K. SAXENA

National Organic Chemicals Industries Ltd. Bombay

SHRI P. CHATTERJEE (Alternate)

SHRI DEEPAK R. SHAH

Éxcel Industries Ltd, Bombay

SHRIMATI S. R. VASHI ( *Alternate* )

DR P. N. VISWANATHAN

Industrial Toxicology Research Centre, Lucknow

DR K. P. PANDYA ( Alternate )

SHRI SATISH CHANDER,

Director General, BIS ( Ex-officio Member )

Director (Chem)

Secretary

SHRI P. S. ARORA Joint Director (Chem), BIS

#### Industrial Chemical Hazards Subcommittee, CDC 18:4

Convener

SHRI A. G. SHESHAN

Hindustan Organic Chemicals Ltd, Rasayani

Members

SHRI H. K. VENKATRAMAIH ( Alternate to

Shri A. G. Sheshan

SHRI G. R. BALASUBRAMANIAN

DR D. CHAUDHURI

SHRI B. R. DAVE

SHRI S. R. CHAUDHURI

Bhabha Atomic Research Centre, Bombay

Union Carbide India Ltd, Calcutta

trial Development), Nagpur

All India Institute of Hygiene and Public Health,

Calcutta Department of Explosives (Ministry of Indus-

DR H. MUKHERJEE ( Alternate ) SHRI D. K. DE SARKAR

Directorate General of Ordnance Factories

(Ministry of Defence), Calcutta

DR K. G. KAIMAL ( Alternate )

DEPUTY DIRECTOR ( MET )-5

Railway Board (Ministry of Railways)

Atul Products Ltd, Atul

SHRI M. V. DESAI SHRI A. K. NANGIA ( Alternate )

SHRI K. C. GUPTA,

Nitional Safety Council, Bombay

SHRI K. C. SAKSENA ( *Alternate* 

DR V. P. GUPTA

Directorate General Factory Advice Service and Labour Institute, Bombay

SHRI S. K. DANGWAL ( Alternate )

SHRI V. N. GODBOLE

Allbright Morarji and Pandit Ltd, Ambernath

SHRI K. R. PRABHU ( *Alternate* )

(Continued on page 9)

# Indian Standard CODE OF SAFETY FOR TETRACHLOROETHANE

#### **0.** FOREWORD

- **0.1** This Indian Standard was adopted by the Bureau of Indian Standards on 14 August 1987, after the draft finalized by the Chemical Hazards Sectional Committee had been approved by the Chemical Division Council.
- **0.2** Tetrachloroethane is used for metal washing and degreasing, and as an extraction solvent for oils and fats. It is also used for synthesis of trichloroethylene.
- **0.3** In the preparation of this code of safety, considerable assistance has been taken from the following publications:
  - a) Manual for Handling and Disposal with Toxicity and Hazardous Data. Published by International Technical Information Institute, Japan. 1981.
  - b) Dangerous Properties of Industrial Materials, third edition. N. Trving Sax. Published by Reinhold Publishing Corporation, USA. 1957.

#### 1. SCOPE

- **1.1** This standard describes properties of tetrachloroethane, the nature of hazards associated with it and essential information on storage, handling, packaging, labelling, waste disposal, training and education to personnel, personal protective equipment and first-aid.
- **1.1.1** This code, however, does not deal with the specifications for design of buildings, chemical engineering plants, storage vessels and equipment for operations control.

#### 2. TERMINOLOGY

**2.1** For the purpose of this standard, the definitions given in IS: 4155-1966\* shall be used.

<sup>\*</sup>Glossary of terms relating to chemical and radiation hazards and hazardous chemicals.

#### 3. PROPERTIES

**3.1 General Information** — Tetrachloroethane is a colourless, heavy liquid. It is corrosive and has chloroform like odour. It is soluble in alcohol and ether and slightly soluble in water. It is most toxic amongst chlorinated hydrocarbons.

3.1.1 Common Name	Tetrachloroethane, Acetylene tetra- chloride
3.1.2 Chemical Name	1, 1, 2, 2 — Tetrachloroethane
3.1.3 Empirical Formula	$C_2H_2CL_4$

**3.1.4** *Molecular Formula* Cl<sub>2</sub>CH-CHCl<sub>2</sub>

**3.1.5** *Molecular Weight* 167.86

3.2 Physical Properties

**3.2.1** *Boiling Point* 146.5°C/760 mm Hg

**3.2.2** Melting Point (-) 44°C

**3.2.3** *Specific Gravity* (25/4°C) 1.86

**3.2.4** *Refractive Index*, 25°C 1.49419

**3.2.5** *Volatility* Low

#### 3.3 Chemical Properties

- **3.3.1** Reactivity Tetrachlorocthanc can be hydrolyzed with water to release hydrochloric acid. On heating with alkalies, if forms dichlorocetylene. It is important to avoid the use of aluminium and other light metals in handling tetrachlorocthane.
  - **3.3.2** *Light Sensitivity* No.
  - **3.3.3** *Flammability* It is non-flammable.
- 3.4 Fire and Explosion Hazard Properties
- **3.4.1** On heating with strong caustic, it forms explosive dichloroacetylene.
  - **3.4.2** Its vapours in air do not form explosive mixture.
- **3.5** Corrosion Properties In presence of moisture, tetrachioroetbane gradually decomposes with evolution of hydrochloric acid and corrodes

metals. When perfectly dry is relatively inert to most metals except zinc, aluminium, megnesium and alloys thereof.

#### 4. HEALTH EFFECTS AND TOXICITY INFORMATION

#### 4.1 General

TLV — 1 ppm (7mg/m<sup>8</sup>) (TDL) — Oral-rat LD<sub>50</sub>: 200 mg/kg

**4.2 Route of Entry** — Inhalation, absorption through skin and eye contact.

#### 43 Health Effects

- **4.3.1** *Inhalation* It causes irritation of respiratory tract, headache, dizziness, extreme exhaustion, enlarged liver and jaundice, oliguria, hematuria, albuminuria, mental instability and drowsiness, paralysis and coma, cardiac irregularity, tremor, Lack of appetice, nausea and vommiting.
- **4.3.1.1** Skin Contact Polyneuritis (inflammation of nerves) of fingers and toes. Other symptoms of inhalation.
  - **4.3.1.2** Eyes Conjunctivities and dimness of sight
- **4.3.2** It is absorbed quickly through skin but eliminated slowly. Therefore repeated exposures are dangerous. After severe exposure, effects on the central nervous system (CNS) may be present for months and years. Severe exposure may also effect the liver, kidneys and blood farming tissues.

#### 5. PERSONAL PROTECTIVE EQUIPMENT

#### **5.1 Personal Protection**

- **5.1.1** Protective equipment should include self-contained breathing apparatus or airline respirator. PVC or neoprene hand gloves and clothes to avoid contact with the liquid. Use of safety goggles or face shields to prevent splashing of the liquid into eyes is also recommended. All contaminated clothing should be washed and thoroughly dried before use.
- **5.1.2** The use of appropriate gas mask is permissible in vapour concentration of less than 20 percent where there is no deficiency of atmospheric oxygen of exposure exceeding half an hour.
- **5.1.3** Care should be exercised taking into account the fact that its vapours are heavier than air.

# 6. STORAGE, HANDLING, LABELLING AND TRANSPORTATION

- **6.1 Storage** Store in mild steel drums protected from moisture in a cool place. Storage under roof is preferable in all seasons. Area should be well ventilated.
- **6.2 Handling** While handling tetrachloroethane, wear safety goggles, gas mask and protective rubber clothing.
- **6.3 Labelling** Use of hazard/warning symbols in the plant area are strongly recommended.
- **6.3.1** Cautionary labels, such as "Avoid Spillage," Use Personal Protectives", "Avoid Skin Contact", "Avoid Inhaling Vapour" are recommended.

#### **6.3.2** Information on Labels

- a) Name of chemical.
- b) Danger—vapour hazardous/toxic, and
- c) Avoid skin contact.
- **6.4 Transport** Follow code of symbols for labeling of dangerous goods as per Fig. 11 of IS: 1260 (Part 1)-1973\* and follow safety code for transport of dangerous goods as per Government regulations.

#### 7. SPILLAGE/LEAKAGE AND WASTE DISPOSAL

#### 7.1 Spills and Leakages

- **7.1.1** For spills absorb with paper on other suitable absorbent. Get rid of tetrachloroethane by evaporation in a hood or by burning.
- **7.1.2** If container leakage cannot be stopped, tetrachloroethane should be transferred to another suitable container. Ample ventilation should be provided for escaping vapours. During transfer, wear protective equipment.
- **7.1.3** In the event of a leak in tank car which can not be repaired by simple adjustment or tightening the fittings the suppliers help should be sought.
- **7.1.4** Clothings wet with tetrachloroethane should be removed immediately and the body washed thoroughly with water. The liquid may have defatting of skin.

<sup>\*</sup>Pictorial narkings for handling and labelling of goods: Part 1 Dangerous goods (first revision).

#### 7.2 Waste Disposal

- **7.2.1** All relevant regulations of local and State authorities for prevention and control of pollution should be observed.
  - **7.2.2** Waste should be collected and recovered by distillation.
- **7.2.3** If the waste is not recoverable, collect, mix it with combustible solvent and incinerate in a furnace. Flue gases should be scrubbed in dilute caustic solution to avoid release of toxic vapours/fumes.

#### 8. FIRE PREVENTION AND FIRE FIGHTING

**8.1** Tetrachloroethane is not combustible. However, it should be stored away from heat and fire. In a fire situation, tetrachloroethane can be hazardous due to its harmful vapours. Carbon dioxide, dry chemical powder or foam can be used for fire fighting when this chemical is involved.

#### 9. TRAINING AND HEALTH MONITORING

- **9.1 Training and Education** Persons handling tetrachloroethane should be trained such that they can carry out their job safely, effectively and knowledgeably. They should be appraised of the use of protective equipment and minimize hazards involved in handling of tetrachloroethane. All workers should be familiar with the location of safety showers, alarm boxes, emergency ventilation systems, first aid boxes, artificial respiration methods. Proper training and education of employees will minimize hazards involving tetrachloroethane.
- **9.2 Health Monitoring** This is required for employees who would be exposed to tetrachloroethane. Individuals having following conditions should not be exposed to tetrachloroethane.
  - a) Diseases of central nervous system,
  - b) Alcoholism,
  - c) Diseases of kidney or liver, and
  - d) Anaemia.

The workers should undergo medical examination at least once a year including complete blood count and functioning of liver and kidney.

**9.1.1** The records of medical examination should be maintained regularly. A specific treatment given for any deficiency should be recorded.

#### 10. FIRST AID

- **10.1** Most important is quick removal from exposure. Wash contaminated areas with spap and water. In care of contact with eyes, wash with water and seek medical attention.
- **10.2** If swallowed, induce vomiting and seek medical advise. If exposed to vapours and not breathing, remove to fresh air and give artificial respiration. In case of difficulty, administer oxygen. Call a physician.

Caution: Nothing should be given by mouth to an unconscious person.

#### (Continued from page 2)

*Members* 

Representing

SHRI P. V. KANGO

Indian Chemical Manufacturers Association, Calcutta

DR P. V. SUBRAMANIAN ( Alternate )

SHRI L. S. MEHTA

Century Rayon, Kalyan

SHRI R. K. SHUKLA ( Alternate

DR O. P. MITTAL

Hindustan Ciba-Geigy Ltd, Bombay Hindustan Petroleum Corporation, Bombay SHRI V. S. R. MURTHY H SHRI R. M. SANGAM ( Alternate )

DR D. J. PARIKH

National Institute of Occupational Health,

Ahmadabad

SHRI J. N. PAREKH

Navin Fluorine Industries, Bombay

SHRI K. N. VYAS ( Alternate ) SHRI A. N. RAO

Directorate General of Technical Development,

DR A. P. RAO

New Delhi Fertilizers and Chemicals Travancore Ltd, Udyogamandal

DR A. K. BHATTACHARYA ( *Alternate* )
DR P. K. ROY Industrial Toxicology Research Centre, Calcutta DR K. P. PANDYA ( *Alternate* )
DR M. K. SAXENA National Organic Chemicals Industries Ltd, National Organic Chemicals Industries Ltd, Bombay

SHRI K. K. SUBRAMANIAN ( *Alternate* )

DEEPAK R. SHAH Excel Industries Ltd, Bombay

SHRI DEEPAK R. SHAH SHRI R. K. KORDE ( *Alternate* )

Shroff's Industrial Chemicals Ltd, Bombay SHRI SANGAPPA C. UPPALADIMMI

## INTERNATIONAL SYSTEM OF UNITS (SI UNITS)

#### **Base Units**

QUANTITY	UNIT	SYMBOL
Length	metre	m
Mass	kilogram	kg
Time	second	S
Electric current	ampere	A
Thermodynamic	kelvin	K
temperature		
Luminous intensity	candela	cd
Amount of substance	mole	mol
Supplementary Units		
QUANTITY	UNIT	SYMBOL
Plane angle	radian	rad
Solid angle	steradian	sr

#### **Derived Units**

QUANTITY	UNIT	SYMBOl	DEFINITION
Force	newton	N	$1   N = 1   kg.m/s^2$
Energy	joule	J	$1  \mathbf{J} = 1  \mathbf{N}.\mathbf{m}$
Power	watt	W	1  W = 1  J/s
Flux	weber	Wb	1  Wb = 1  V.s
Flux density	tesla	T	$1  T = 1  Wb/m^2$
Frequency	hertz	Hz	$1 \text{ Hz} = 1 \text{ C/S} (S^{-1})$
Electric conductance	siemens	S	$1  S = 1 \ A/V$
Electromotive force	volt	V	$1  \mathbf{V} = 1  \mathbf{W/A}$
Pressure, stress	pascal	Pa	$1 \text{ Pa} = 1 \text{ N/m}^2$

### BUREAU OF INDIAN STANDARDS

#### Headquaters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002 Telephone: 3 31 01 31, 3 31 13 75 Telegrams: Man ( Common to a	
Regional Offices:	Telephone
*Western : Manakalaya, E9 MIDC, Marol, Andheri (East), BOMBAY 400093	6 32 92 95
†Eastern : 1/14 C.I.T. Scheme VII M, V.I.P. Road, Maniktola, CALCUTTA 700054	36 24 99
Northern: SCO 445-446, Sactor 35-C, CHANDIGARH 160036	{2 18 43 3 16 41
Southern: C.I.T. Campus, MADRAS 600113	{41 24 42 41 25 19 41 29 16
Branch Offices:	
'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001	{ 2 63 48 2 63 49
Peenya Industrial Area, 1st Stage, Bangalore-Tumkur Road,	<b>38</b> 49 55 <b>38</b> 49 56
BANGALORE 560058 Gangotri Complex, Bhadbhada Road, T. T. Nagar, BHOPAL 462003	6 67 18
Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002	5 36 27
53/5, Ward No. 29, R. G. Barua Road, 5th Byelane, GUWAHATI 781003	
5-8-56C L. N. Gupta Marg (Nampally Station Road), HYDERABAD 50000	
R14 Yudhister Marg, C Schema, JAIPUR 302005	<b>{</b> 6 34 71 6 98 32
117/418 B Sarvodaya Nagar, KANPUR 208005	<b>{</b> 21 68 76 21 82 92
Patliputra Industrial Estate, PATNA 800013	6 23 05
$Hantex\ Bldg\ (\ 2nd\ Floor\ ),\ Railway\ Station\ Road,\ TRIVANDRUM\ 688001$	7 66 37
Inspection Offices (With Sale Point):	
Pushpanjali, 205-A West High Court Road, Bharampeth Extension, NAGPUR 440010	2 51 71
Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 4110	5 24 35
*Sales Office in Bombay is at Novelty Chambers, Grant Road, Bombay 400007	89 65 28
†Sales Office in Calcutta is at 5 Chowringhee Approach P.O. Princep Street, Calcutta 700072	27 68 00